

Annual Health Check for Adults with a Learning Disability & on the Social Services Register (last updated 18/12/07)

You will note that 'Request New Term' may have been used in the text. This means that the NHS Connecting for Health has been contacted to request new READ Codes where none currently exist. New READ codes are released quarterly, updates are available on the Clinical Terminology Service website <http://www.nhsia.nhs.uk/terms/pages/default.asp>.

No	Learning Disability DES	READ codes /qualifying criteria - 5 byte version 2		Version 3 codes	
		<i>blue italics= taken from MSD QoF spec. One or more of the codes for LD diagnosed should be present together with a code for under the care of social services for the patient to be included</i>		<i>purple = codes as V2 are optional - there should be a V3 code that would be better to use for data entry. Italics = taken from MDS QoF spec</i>	
	Diagnosed learning disability/DES register	<i>E3...%</i>	<i>Mental retardation</i>	<i>E3...%</i>	<i>Learning disability</i>
		<i>Eu7..%</i>	<i>[X] Mental retardation</i>		
		<i>Eu81.%</i>	<i>[X] Specific scholastic development disability</i>	<i>X00TL%</i>	<i>Developmental disorder of scholastic skill</i>
		<i>E2F..%</i>	<i>Specific delays in development</i>		
		<i>918e.</i>	<i>On learning disability register</i>	<i>XaKYb</i>	<i>On learning disability register</i>
		<i>13Z4E</i>	<i>Learning difficulties</i>	<i>13Z4E</i>	<i>Learning difficulties</i>
		<i>8HHP.</i>	<i>Referred to learning disability team</i>	<i>XaJmc</i>	<i>Referred to learning disability team</i>
		<i>8O5..</i>	<i>Special needs support</i>	<i>XaIBG</i>	<i>Special needs support</i>
		<i>9HB..%</i>	<i>Learning disabilities administration status</i>	<i>XaJW7%</i>	<i>Learning disabilities administration status</i>
		<i>E2F2.</i>	<i>Other specific learning difficulty</i>	<i>E2F2.</i>	
		<i>E2F3.%</i>	<i>Speech or language development disorder</i>	<i>XE1Z3%</i>	<i>Speech or language development disorder</i>
		<i>E2F5.</i>	<i>Mixed development disorder</i>	<i>E2F5.</i>	<i>Mixed disorder of psychological development</i>
		<i>Eu83.</i>	<i>[X]Mixed specific developmental disorders</i>	<i>Eu83.</i>	<i>[X]Mixed specific developmental disorders</i>
		<i>PJ0..%</i>	<i>Down's syndrome - trisomy 21</i>	<i>XE1MZ%</i>	<i>Down's syndrome</i>
		<i>PJ2..%</i>	<i>Edward's syndrome - trisomy 18</i>	<i>PJ2..%</i>	<i>Edwards' syndrome</i>
		<i>PJ1..%</i>	<i>Patau's syndrome - trisomy 13</i>	<i>PJ1..%</i>	<i>Patau's syndrome</i>
		<i>PJyy2</i>	<i>Fragile X chromosome</i>	<i>PJyy2</i>	<i>Fragile X chromosome</i>
		<i>ZV400</i>	<i>Problems with learning</i>	<i>ZV400</i>	<i>Problems with learning</i>
	Under care of social services	<i>9NDA.</i>	<i>Report received from social services</i>	<i>XE2NS</i>	<i>Report received from social services</i>
		<i>9NNV.</i>	<i>Under care of social services</i>	<i>XaLKF</i>	<i>Under care of social services</i>
			<i>New READ code needed for 'on social services learning disabilities register'</i>		
	Consent for examination	<i>9Nd0.</i>	<i>Verbal consent for examination</i>	<i>XaKFs</i>	<i>Verbal consent for examination</i>
		<i>671F.</i>	<i>Discussed with patient</i>	<i>671F.</i>	<i>Discussed with patient</i>
	Patient details				
1	Date	Free text	Date check / report completed- DD/MM/YYYY		
		<i>9HB3</i>	<i>Learning disabilities health assessment</i>	<i>XaJmb</i>	<i>Learning disabilities health assessment</i>
2	Name	Free text	Patient's name Free text		
3	Marital status	<i>1332.</i>	<i>Married</i>	<i>XE0oa</i>	<i>Married</i>
		<i>1331.</i>	<i>Single</i>	<i>XE0oZ</i>	<i>Single person</i>
		<i>1333.</i>	<i>Separated</i>	<i>XE0ob</i>	<i>Separated</i>
		<i>1334.</i>	<i>Divorced</i>	<i>1334.</i>	<i>Divorced</i>
		<i>1335.</i>	<i>Widowed</i>	<i>1335.</i>	<i>Widowed</i>
		<i>133C.</i>	<i>Widower</i>	<i>133C.</i>	<i>Widower</i>
		<i>1336.</i>	<i>Cohabiting</i>	<i>1336.</i>	<i>Cohabiting</i>

		133G	Common law husband	133G.	Common-law husband
		133H.	Common law wife	133H.	Common-law wife
	patient refused	133F.	Marital state unknown	133F.	Marital state unknown
4	Ethnic origin	9i...%	Ethnic category - 2001 census	XaJQu%	Ethnic category - 2001 census
		226..	O/E ethnic group	226..	O/E - ethnic origin
	patient refused	9SD..	Ethnic group not given - patient refused	XaE4B	Ethnic group not given - patient refused
5	Principal carer	Free text	Carer's name Free Text		
		9180.%	Carer's details (with associated name etc)	9180.%	Carer's details
		918w.	Carer of person with learning disability	XaKbe	Carer of person with learning disability
		918F.	Has a carer	XaKBI	Has a carer
		9NN3.	Has support worker	XaIMz	Has support worker
6	Date of Birth	Free text	Patient's DoB DD/MM/YYYY		
		9155.	Patient date of birth (With an associated date)	9155.	Date of birth
				XaKBk	Date of birth of person cared for
	no date of birth	3A50.	Memory: own DOB not known	Xa315	Unable to remember own date of birth
				Xa1in	No date of birth given
7	Gender	1K1..	Female	X768C	Female
		1K0..	Male	X768D	Male
	gender unknown	1K2..	Gender unknown	Xalg0	Gender unknown
		1K3..	Gender unspecified	XaLg1	Gender unspecified
8	Address	Free text	Patient's address		
		9153.	Patient address	9153.	Patient address
		Free text	Patient's postcode		
		9158.	Patient post-code	9158.	Patient post-code
		13FX	Lives in care home	XaMGF	Lives in care home
10	Tel	Free text	Patient's telephone number		
10	Tel	Free text	Patient's telephone number		
Key Health and Social Care Contacts:					
11	Consent to share the review with Carer?	Free text			
12	Consent to share the review with other named relevant professionals?	Free text	psychiatrist, CPA co-ordinator, Neurologist		
		9Nd4.	Consent for Primary Care Trust to review patients records	XaLoT	Consent for Primary Care Trust to review patients records
		9Nd1.	No consent for electronic record sharing	XaKII	No consent for electronic record sharing
13	Weight (kg/stone)	22A..	O/E - weight (with associated weight)	X76C7	Body weight
		22N0.	waist circumference	Xa041	waist circumference
		66C..	weight monitoring	XaBFL	weight monitoring
		6878.	weight screen	XM01G	Weight observation
	patient refused	9N4v.	DNA weight monitoring clinic	XaMAk	Did not attend weight monitoring clinic
14	Height (meters /feet)	229..	O/E - height (with associated height)	229..	O/E - height (with associated height)
				X76Bs	Body height
	patient refused	813Z.	Refused procedure NOS	XM1Y2	Patient non-compliance - general
15	Blood Pressure	246..%	O/E - Blood pressure reading (Excluding 256O., 246H., 246I., 246K., 246L., 246M.)	246..%	O/E - Blood pressure reading (Excluding 2460., XaCFN, XaCFO)
		2469.	BP systolic (with associated reading)	2469.	O/E - Systolic BP reading

				XM02X%	<i>Systolic blood pressure (Excluding XaI9f) (with associated reading)</i>
		246A.	<i>BP diastolic (with associated reading)</i>	246A.	<i>O/E - Diastolic BP reading</i>
				XM02Y%	<i>Diastolic blood pressure (Excluding XaI9g) (with associated reading)</i>
		9OD..	Hypertension screening administration	9OD..	Hypertension screening administration
				XM1DB	Examination of blood pressure
	patient refused	813Y.	<i>BP procedure refused</i>	XaJkR	BP procedure refused
16	Urine Analysis	1A3..%	Micturition stream	X76Xw%	Strength of stream of urine
				Xa7Ws%	Observation of pattern of urination
		1A4..%	Urine appearance	XE0rT%	Urine appearance
		46...%	Urine examination	XE25o%	Urine exam. General
		466..	Urine analysis - glucose	XaBZE	Urine test for glucose
				X76xp%	Glucose concentration
				4662.	Urine glucose test negative
		467..	urine analysis - protein	XE2eG	Urine test for protein
				X76xI%	Protein concentration (exc. 4D4..%)
				4672.	Urine protein test negative
		68K..	Urine screening	68K..	
		R11..	[D] Non-specific urine findings	R11..	
	patient refused	813Z.	Refused procedure NOS	XM1Y2	Patient non-compliance - general
		415..	Patient refused laboratory test	415..	Patient refused laboratory test
17	Smoke (per day)	137..%	<i>Tobacco consumption</i>	Ub0oo	<i>Tobacco smoking behaviour (excluding XE0oo, XaIQi)</i>
		137I	<i>Never smoked tobacco</i>	XE0oh	<i>Never smoked tobacco</i>
	Patient refused	813Z.	Refused procedure NOS	XM1Y2	Patient non-compliance - general
18	Alcohol (units per week)	136..%	Alcohol consumption	136..%	Alcohol intake
				Ub0IJ%	Current drinker
		1462.	H/O alcoholism	1462.	H/O: alcoholism
		685..	Alcohol consumption screen	6892.	Alcohol consumption screening
		E23..%	Alcohol dependence syndrome	XE1YQ%	Chronic alcoholism
				E230.%	Acute alcoholic intoxication in alcoholism
				X00Rm%	Acute alcohol intoxication
		ZV4KC	[V] alcohol use	XaBDY	[V] Alcohol use
19	Body Mass Index (weight in kg / height in m2)	22K..%	<i>Body Mass Index (with an associated BMI value)</i>	Xa7wG%	<i>Observation of body mass index</i>
		22K5.	<i>Body Mass Index 30+ obesity</i>	22K5.	<i>Body mass index 30+ - obesity</i>
		22K7.	<i>Body Mass Index 40+ severely obese</i>	XaJJH	<i>Body mass index 40+ - severely obese</i>
		229..%	O/E - height	229..%	O/E - height
				X76Bs	Body height
20	Cholesterol if indicated	44P..	<i>Serum cholesterol</i>	XE2eD%	Serum cholesterol
		44OE.	<i>Plasma total cholesterol level</i>	XaIRd	Plasma total cholesterol level
		813w.	Cholesterol test declined	XaLQd	Cholesterol test declined
21	Random Blood glucose if indicated	44f0.	Serum random glucose level	44f0.	Serum random glucose level
		44g0.	Plasma random glucose level	44g0.	Plasma random glucose level
				X772z	Blood glucose level
	Patient refused	813Z.	Refused procedure NOS	XM1Y2	Patient non-compliance - general
		415..	Patient refused laboratory test	415..	Patient refused laboratory test

	Immunisation People with learning disability should have the same regimes as others and the same contraindications apply.				
22	Has the patient completed a full course of currently recommended vaccinations excluding influenza ? <i>This would apply to patients under 25. Currently recommended vaccinations :dip/tet/polio, MenC, MMR</i>	currently recommended vaccinations indicated	Age=>18 and <25 (qualifying criteria)		
		65H..	Triple diphtheria/tetanus/polio vaccination	65H..	Triple - DTP - vaccination
		65J..	Double diphtheria/tetanus vaccination	XE1Si	Double - DT - vaccination
		65MI.	Measles/Mumps/Rubella vaccination	ZV064	[V]Measles-mumps-rubella (MMR) vaccination
		65MA.	Measles/Mumps/Rubella booster vaccination		only pre-school code
		65MB.	Measles/mumps/rubella pre school booster	65MB.	MMR pre-school booster vaccination
		65MC.	Measles/mumps/rubella 2nd dose	65MC.	MMR vaccination - 2nd dose
		6571.	Meningitis C vaccination	XaF1x	First meningitis C vaccination
				XaF1y	Second meningitis C vaccination
				XaF1z	Third meningitis C vaccination
				XaF4P	Single meningitis C vaccination
23	If No, has the patient been offered the recommended top up vaccinations? <i>Older patients would not be expected to have had the currently recommended vaccinations but could be offered them if appropriate</i>	9OF..	Adult immunisation administration	9OF..	Adult immunisation admin.
		68N..	Immunisation status screening	XE1TJ	Immunisation status screening
	Contraindicated	8I23.	Immunisation contraindicated	XE0IZ	immunisation contraindicated
		68NI.	<i>Medical contraindication to immunisation</i>		
	patient declined	68N6.	immunisation refused	XM1Yo	Immunisation refused
		8I3x.	MMR vaccination declined	XaLkV	MMR vaccination declined
24	Is the patient included in the annual influenza vaccination programme?	Flu vaccination indicated	age = >65 or 'at risk'		
		9O21.	<i>Letter invite to screening</i>		
		65E..	<i>Influenza vaccine given</i>		
		9K7..	Influenza immunisation enhanced services administration	XaK9t	Influenza immunisation for those in the 65 years and over and other at risk groups - enhanced services administration
		90X..	Influenza vaccination administration	90X..	Flu vaccination administration
	Contraindicated	8I23.	Immunisation contraindicated	XE0IZ	immunisation contraindicated
		68NI.	<i>Medical contraindication to immunisation</i>		as above
	patient declined	68NE.	<i>No consent to influenza immunisation</i>		
		90X5.	influenza vaccination declined	XaIBI	Influenza vaccination declined
	Cervical screening People with a learning disability have same indications for cervical cytology as others.				
25	Is a smear indicated?	smear indicated	Qualifying criteria; gender = Female (1K1..), Age >20 years and <64 years		
26	If yes when was last smear?	Date	Date of smear code (codes below)		
		4K22. - 4K29.	<i>codes for various Cervical smear results</i>	Xa97C%	Cervical cytology observations
		4K2C	<i>smear NAD - no endocervical cells</i>	4K2B.	Cervical smear - endocervical cells absent
		4KA1.	<i>Vaginal vault smear negative</i>	4KA1.	Vaginal vault smear negative
		4KA3.	<i>Vaginal vault smear atrophic</i>	4KA3.	Vaginal vault smear-atrophic

		4KA4.	<i>Vaginal vault smear abnormal</i>	4KA4.	Vaginal vault smear abnormal
		4JRL.	Cervical cytology screening test	XaMDf	Cervical cytology screening test
		4JRK.	Gynaecology cytology screening test	XaMDe	Gynaecology cytology screening test
		6856.	<i>Ca cervix screen - up to date</i>	6856.	Ca cervix screening - up-to-date
		6859.	<i>Ca cervix - screen done</i>	XE1TU	Ca cervix - screening done
		685B. - 685E.	<i>Codes for various Ca cervix screen results</i>	685B.	Ca cervix screening normal
				685C.	Ca cervix screening abnormal
		7E2A0	<i>Examination of female genital tract UA and smear</i>	7E2A0	Examination of female genital tract under anaesthetic and papanicolau smear
		7E2A2	<i>Papanicolau smear NEC</i>	XE078	Papanicolau smear NEC
		7E2A3	<i>Vaginal vault smear</i>	7E2A3	Vaginal vault smear
		ZV762	<i>[V]Cervix malignancy screening</i>	ZV762	[V]Screening for malignant neoplasm of cervix
27	When is next due?	Date	Qualifying criteria =Date of smear code + 3 years and/or date of smear code + 5 years		
		4K4B.	Cervical smear repeat at 36 months	XaLqI	Cervical smear repeat at 36 months
		4K4C.	Cervical smear repeat at 60 months	XaLqm	Cervical smear repeat at 60 months
	Smear not indicated?	816K.	<i>cervical smear not indicated</i>	XaK29	Cervical smear not indicated
		685H.	<i>No smear - benign hysterectomy</i>	XE1TV	No smear - benign hysterectomy
		685I.	<i>No smear - amputation of cervix</i>	685I.	No smear-amputation of cervix
		685K.	<i>no smear - no cervix</i>	685K.	No smear - no cervix
		9O8Y.	<i>No cervical smear required - no uterus</i>	XaKbV	No cervical smear required - no uterus
		7E05..	<i>Vaginal excision of uterus</i>	XE06b	Vaginal hysterectomy
		7E040	<i>Abdominal hystercolpctomy inc peruit ts</i>	7E040	Radical abdominal hysterocolpctomy
		7E042	<i>Abdominal hystercolpctomy NEC</i>	XaC3i	Abdominal hysterocolpctomy
		7E043	<i>Total abdominal hysterectomy NEC</i>	Xa9gZ	Abdominal hysterocolpctomy NEC
		7E046	<i>Radical hysterectomy</i>	7E046	Radical hysterectomy
		7E049	<i>TAH - total abdominal hysterectomy and BSO</i>	XE06a	Total abdominal hysterectomy and bilateral salpingo-oophorectomy
		7E04B	<i>Laparoscopic TAH and BSO</i>	7E04B	Laparoscopic total abdominal hysterectomy and bilateral salpingo-oophorectomy
		7L0A..	<i>Clearance of pelvis</i>	7L0A.	Clearance of pelvis
	Smear refused?	6853.	<i>Ca cervix screen - not wanted</i>	6853.	Ca cervix screening - not wanted
		685L.	<i>Cervical screen refused</i>	XaFs3	Cervical smear refused
		9O8Q.	<i>Cervical smear disclaimer received</i>	9O8Q.	Cervical smear disclaimer received
		9O8S.	<i>Cervical screen defaulter</i>	9O8S.	Cervical smear defaulter
	Breast Screening & Mammography This should be arranged in line with national screening programme and as per local practice				
28	Is mammography indicated?	Breast screening indicated	Qualifying criteria = gender = Female (1K1..), Age >50 and <70		
29	If Yes Has it been done?	537..	Mammography X-ray	537..	Mammogram
		6862.	Mammography screening	X70ds	Mammogram - screening
		8HT8.	Referral to mammography clinic	8HT8.	Referral to mammography clinic
		8HT1.	Referral to breast clinic	XaEFF	Referral to breast clinic
		9OH..	Breast screening administration	9OH..	Breast screening administration
		9NOA.	Seen in breast clinic	9N1y9	Seen in breast clinic

	screening refused?	9OHD.	Breast screening declined	XaIPa	Breast screening declined
		9OHC.	Breast screen non-attender	9OHC.	Breast screen non-attender
				Xa1KG	Did not attend
	Chronic Illness				
30	Does your patient suffer from any chronic illness? If yes please specify (use child concept where appropriate for more detail):	66...	Chronic disease monitoring (excluding 66b.. - CDM monitoring not required. 66M.. - Occupation risk monitoring. 66N.. - Environment risk monitoring)	66...	(excluding 66b.. - CDM monitoring not required. 66M.. - Occupation risk monitoring. 66N.. - Environment risk monitoring)
		66S..	Chronic disease care arrangement	66S..	
		9OE.	Chronic disease monitoring administration	XaBX3	Disease monitoring administration
	Cardiovascular disease	662..	Cardiac disease monitoring	XE1Su	Cardiac disease monitoring
		66f..	Cardiovascular disease monitoring	XaKSc	Cardiovascular disease monitoring
		66g..	Congenital heart condition monitoring	XaLqp	Congenital heart condition monitoring
		6A9..	Atrial fibrillation annual review	XaMGD	Atrial fibrillation annual review
		6A2..	Coronary heart disease annual review	XaI9h	Coronary heart disease annual review
		G3...	<i>Ischaemic heart disease</i>	XE2uV	
		G58..	<i>Heart failure</i>	G58..	
		G33..	<i>Angina pectoris</i>	G33..	
		Gyu30	<i>[X] Other forms/angina pectoris</i>	Gyu30	
		G2...	<i>hypertensive disease</i>	G2...	
	Respiratory disease	663..	Respiratory disease monitoring	XE1Sw	Respiratory disease monitoring
		66Y..	Other respiratory disease monitoring	XaIO4	Other respiratory disease monitoring
		H3...	<i>Chronic obstructive pulmonary disease</i>	H3...	Chronic obstructive pulmonary disease
		66YM.	Chronic obstructive pulmonary disease annual review	Xalet	Chronic obstructive pulmonary disease annual review
		H33..	<i>Asthma</i>	H33..%	Asthma
				XaluG	Asthma confirmed
		66YJ.	Asthma annual review	Xaleq	Asthma annual review
		H31..	<i>Chronic bronchitis</i>	H31..	
		H32..	<i>Emphysema</i>	H32..	
	Gastrointestinal disease	664..	GIT disease monitoring	664..	GIT disease monitoring
		J....	Digestive system diseases	Jz...	Digestive system diseases NOS
		J151.	Chronic gastritis	J151.	Chronic gastritis
		J671.	Chronic pancreatitis	J671.	Chronic pancreatitis
		J131.	Chronic peptic ulcer	J131.	Chronic peptic ulcer
		J111.	Chronic gastric ulcer	J111.	Chronic gastric ulcer
				J111z	Chronic gastric ulcer NOS
				XE0aP	Gastric ulcer
	Dementia	66h..	Dementia monitoring	XaMJC	Dementia monitoring
		6AB..	Dementia annual review	XaMGF	Dementia annual review
	Eye disorder	66U..	Eye disorder monitoring	66T..	Eye disorder monitoring
		F4...	Disorders of eye and adnexa	F4...	Disorder of eye and adnexa
	Gout	667..	Gout monitoring	669..	Gout monitoring
		C34..	Gout	N023.	Gout
				X40UW	Primary gout
	Diabetes	66A..	Diabetic monitoring	66A..	Diabetic monitoring
		C10E.	<i>type 1 diabetes mellitus</i>	X40J4	<i>type 1 diabetes mellitus</i>
		C10F.	<i>type 2 diabetes mellitus</i>	X40J5	<i>type 2 diabetes mellitus</i>
				X40J6	<i>Insulin treated Type 2 diabetes mellitus</i>

		66AS.	Diabetic annual review	66AS.	Diabetic annual review
	Thyroid disorder	66B..	Thyroid disease monitoring	66B..	Thyroid disease monitoring
		C0...	Disorders of thyroid gland	Cyu4J	[X]Disorders of thyroid gland in diseases classified elsewhere
	Endocrine disorder	66D..	Endocrine disorder monitoring	66DZ.	Endocrine monitoring NOS
		C1...	Other endocrine gland diseases (excluding C10.. - Diabetes)	C1...	Other endocrine gland diseases
	Obesity	66C..	Obesity monitoring	XE1T6	Obesity monitoring
		C380.	Obesity	C380.	Obesity
	Blood disorder	66F..	Blood disorder monitoring	66F..	Blood disorder monitoring
		D....	Diseases of blood and blood-forming organs	D....	Diseases of blood and blood-forming organs
	Rheumatological disorder	66H..	Rheumatological disorder monitoring	XE1T8	Rheumatology disorder monitoring
		N2...	Rheumatism, excluding the back	N2...	Rheumatism, excluding the back
		G1...	Chronic rheumatic heart disease	G1...	Chronic rheumatic heart disease
	Skin disorder	66I..	Skin disorder monitoring	66I..	Skin disorder monitoring
		M....	Skin and subcutaneous tissue diseases	M....	Dermatological disorder
		M27..	Chronic skin ulcer	M27..	Chronic skin ulcer
	Gynaecological disorder	66J..	Gynaecological disorder monitoring	66J..	Gynaecological disorder monitoring
		K4...	Female pelvic inflammatory diseases	XE0eR	Female pelvic inflammatory diseases NOS
		K5...	Other female genital tract disorders	K5...	Other female genital tract disorders
	Urinary disorder	66k..	Urinary disorder monitoring	66K..	Urinary disorder monitoring
		K1...	Other urinary system diseases	K1...	Other urinary system diseases
	Kidney disease	66i..	Chronic kidney disease monitoring	XaMJd	Chronic kidney disease monitoring
		6AA..	chronic kidney disease annual review	XaMGE	Chronic kidney disease annual review
		K0...	Nephritis, nephrosis and nephrotic syndrome	K0...	Nephritis, nephrosis and nephrotic syndrome
		1Z10.	chronic kidney disease stage 1	XaLHG	Chronic kidney disease stage 1
	ENT disorder	66L..	ENT disorder monitoring	66L..	ENT disorder monitoring
		1C...	ENT symptoms	X75YP	ENT symptoms
		H13..	Chronic sinusitis	H13..	Chronic sinusitis
		H14..	Chronic tonsil and adenoid disease	XE0Y2	Chronic tonsil and adenoid disease
		H12..	Chronic pharyngitis and nasopharyngitis	H12..	Chronic pharyngitis and nasopharyngitis
	Ear disorder	66V..	Ear disorder monitoring	66V..	Ear disorder monitoring
		F5...	Diseases of the ear and mastoid process	XE177	Disorder of ear and mastoid process
	Lipid disorder	66X..	Lipid disorder monitoring	XaI8h	Lipid disorder monitoring
		C32..	Disorders of lipid metabolism	XE11R	Disorders of lipid metabolism
	Osteoporosis	66a..	Osteoporosis monitoring	XaI8d	Osteoporosis monitoring
		N330.	Osteoporosis	N3300	Osteoporosis, unspecified
	Depression	E2B1.	Chronic depression	E2B1.	Chronic depression
	see below for Epilepsy				
	Systems Enquiry The answer to these will not always be available. For many practices the systems enquiry can be effectively completed by members of the primary care team prior to the patient seeing the general practitioner.				
	Respiratory system				
31	Persistent cough	171B.	Persistent cough	Xa2kc	Persistent cough

		171A.	Chronic cough	171A.	Chronic cough
				Xa4fN	Barking cough
		171C.	Morning cough	171C.	Morning cough
		171D.	Evening cough	171D.	Evening cough
		H3101	Smokers cough	H3101	Smokers cough
		E2611	Psychogenic cough	E2611	Psychogenic cough
32	Haemoptysis	172..	Haemoptysis - symptom	XEOqp	Haemoptysis
		R063.	Haemoptysis		
33	Abnormal sputum	1714.	Productive cough - green sputum	1714.	Productive cough -green sputum
		1713.	Productive cough - yellow sputum	1713.	Productive cough - yellow sputum
		171H	Difficulty coughing up sputum	Xa7uK	Difficulty in coughing up sputum
		R064.	Abnormal sputum	XM1BI	Abnormal sputum
34	Wheeze	2326.	O/E expiratory wheeze	Xa7uu	Expiratory wheeze
		232C.	Noisy breathing	X76HU	Noisy respiration
		1737.	Wheezing	XE0qs	Wheezing
		173B.	Nocturnal cough/wheeze	173B.	Nocturnal cough / wheeze
35	Dyspnoea	2322.	O/E dyspnoea	2322.	O/E - dyspnoea
		173..	Dyspnoea - symptom	XE0qq	Dysnopoea
		R060A	Dyspnoea		
Cardiovascular system					
36	Chest pain	182..	Chest pain	182..	Chest pain
		G33z4	Ischaemic chest pain	Ua1eH	Ischaemic chest pain
		R065.	[D] Chest pain	R065.	[D]Chest pain
37	Swelling of ankles	22C2.	O/E oedema of ankles	XM01K	Ankle oedema
		1832.	Ankle swelling	XE0qx	Swollen ankle
		R0233	[D] Oedema localised	XM1C3	Localised oedema
				R0233	[D]Oedema, localised
		R0234	[D] Peripheral oedema	R0234	[D]Peripheral oedema
38	Palpitations	181..	Palpitations	XE0qv	Palpitations
		R051.	[D] palpitations	R051.	[D]Palpitations
39	Postural nocturnal dyspnoea	173D.	Nocturnal dyspnoea	X76Gy	Nocturnal dyspnoea
40	Cyanosis	2276.	O/E Central cyanosis	XM019	Central cyanosis
		2277.	O/E Peripheral cyanosis	XM01A	Peripheral cyanosis
		R025.	[D] Cyanosis	R025.	[D]Cyanosis
Abdominal					
41	Constipation	19C..	Constipation symptom	XE0rD	Constipation
		J520.	Constipation - functional	J520.	Constipation - functional
		E2645	Psychogenic constipation	E2645	Psychogenic constipation
42	Weight loss	1625.	Abnormal weight loss - symptom	XE0qb	Abnormal weight loss
		R032.	[D] Abnormal loss of weight		
43	Diarrhoea	19F..	Diarrhoea symptoms	XE0rN	Diarrhoea symptoms
		J4...	Non-infective diarrhoea	X30Bp	Non-infective diarrhoea
		J525.	Functional diarrhoea	XE1Ye	Functional diarrhoea
		J5210	Irritable bowel syndrome with diarrhoea	J5210	Irritable bowel syndrome with diarrhoea
		E2645	Psychogenic diarrhoea	E2645	Psychogenic diarrhoea

44	Dyspepsia	J16y4	Dyspepsia	1954.	Dyspepsia
		J1011	Reflux oesophagitis	XE0aL	Reflux oesophagitis
		E2644	Psychogenic dyspepsia	E2644	Psychogenic dyspepsia
		Eu453	[X] Psychogenic dyspepsia	E2644	Psychogenic dyspepsia
45	Melaena	14C6.	H/O melaena	14C9.	H/O: melaena
		19E4.	C/O melaena	XM0Cn	C/O - melaena
		19E6.	Blood in faeces	XE0rJ	Blood in stool
		4737.	Melaena O/E of faeces	XM1VW	Melaena - O/E of faeces
		J681.	Melaena	XE0bi	Melaena
46	Rectal bleeding	196B.	Painful rectal bleeding	XaJuu	Painful rectal bleeding
		196C.	Painless rectal bleeding	XaJuv	Painful rectal bleeding
47	Faecal incontinence	19E2.	Soiling - encopresis	XE0rF	Soiling - encopresis
		19E3.	Incontinent of faeces - symptom	XE0rG	Incontinent of faeces
		3932.	incontinent		
		3941.	ocassionally incontinent		
		R076.	[D] incontinence of faeces		
48	Feeding problems	1632.	Feeding problem NOS	163Z.	Feeding problem
		3910.	Dependent for feeding	Xa4Ka	Unable to feed self
		3911.	Needs help with feeding	3911.	Needs help with feeding
		R033z	[D] Feeding difficulties NOS		
		J010.	dental problems		no match?
Central Nervous System – for epilepsy see below					
49	Faints	1B6..	Disturbance of consciousness (faint symptom) (except 1B61. - no disturbance of consciousness)	XE0rv	Disturbance of consciousness
		147B.	H/O Vasovagal faint	XaJLV	H/O: vasovagal faint
		R0021	[D] Fainting	XM06a	Fainting
50	Paraesthesia	29B5.	O/E Paraesthesia present	29B5.	O/E - paraesthesia present
		1B46.	C/O Paraesthesia	XaCIS	C/O paraesthesia
		1B47.	Transient paraesthesia	XaINq	Transient paraesthesia
		R0207	[D] Paraesthesia	R0207	[D]Paraesthesia
				XM07I	Paraesthesia
51	Weakness	2832.	O/E Weakness	2832.	O/E - weakness
				XM03n	Weakness
		1B32.	Weakness present	X76Am	Weakness - general
		1B37.	Loss of power in limb	XaC1U	Weakness of limb
		F222.	Left sided weakness	Xa0fu	Left hemiparesis
		F223.	Right sided weakness	Xa0ft	Right hemiparesis
		R0072	[D] General weakness	X76Am	Weakness - general
Genito-urinary					
52	Dysuria	1A55.	Dysuria	1A55.	Urination painful
		R081.	Dysuria	R081.	[D]Dysuria
		R0810	[D] Painful urination		
		E2653	Psychogenic dysuria	E2653	Psychogenic dysuria
		Eu453	[X]Psychogenic dysuria		

53	Frequency	1A1..	Frequency of micturition (except 1A11. frequency of micturition normal)	1A12.	Frequency of micturition
		R084.	[D] Micturition frequency and polyuria	XM1CC	Micturition frequency and polyuria
		R0862	[D] Urgency of micturition	1A25.	Urgency of micturition
54	Haematuria	14D5.	H/O Haematuria	14D5.	H/O Haematuria
		1A45.	Haematuria - symptom	XE0e5	Haematuria
		K197.	Haematuria		
		K0A2.	Recurrent and persistent haematuria	K0A2.	Recurrent and persistent haematuria
		K0321	Recurrent benign haematuria syndrome	K0321	Recurrent benign haematuria syndrome
55	Urinary Incontinence	1A23.	Incontinence of urine	1A23.	Urinary incontinence
		1A26.	Urge incontinence of urine	1A26.	Urge incontinence of urine
		1A24.	Stress incontinence - symptom	XE0rR	Stress incontinence
		1A22.	Enuresis	1A22.	Enuresis
		1593.	H/O Stress incontinence	1593.	H/O Stress incontinence
				XE0rR	Stress incontinence
		394..	Bladder incontinence assessment	Xa1cZ	Bladder incontinence assessment
		K586.	Stress incontinence - female	K586.	Stress incontinence - female
				XE0rR	Stress incontinence
		R083.	[D] Incontinence of urine	R083.	[D]Incontinence of urine
56	If Yes has M.S.U. been done	4JJ..	Urine sample for organism (MSU)	XE26z	Urine sample for organism
		461..	Urine examination general	XE25o	Urine exam. - general
57	Have other investigations been considered?	?FreeText and READ code combination?	?Text by GP and/or READ codes?		
	Gynaecological				
58	Dysmenorrhoea	1574.	H/O Dysmenorrhoea	1574.	H/O: dysmenorrhoea
		K583.	Dysmenorrhoea	XE0ek	Dysmenorrhoea
		E2652	Psychogenic dysmenorrhoea	E2652	Psychogenic dysmenorhea
		Eu45y	[X] Psychogenic dysmenorrhoea		
59	Inter-menstrual bleeding	1582.	H/O inter-menstrual bleeding	1582.	H/O inter-menstrual bleeding
		K59y3	Inter-menstrual bleeding		
		K595.	Ovulation bleeding	XE0eq	Ovulation bleeding
		K596.	Metrorrhagia	XE0er	Metrorrhagia
60	PV discharge	26A..	O/E vaginal discharge	26A..	O/E vaginal discharge
				XM0AX	Vaginal discharge
		1A7..	Vaginal discharge symptom	1A7..	Vaginal discharge symptom
		K565.	Vaginal discharge NOS	1A7Z.	Vaginal discharge
61	Is patient post menopausal?	How to specify post menopausal?	some sort of age qualifier needed here? Normal menopause 40 - 60 years? Climacteric		
		1512.	Menopause	X408b	Normal menopause
		66U..	Menopause monitoring	XE1TE	Menopause monitoring
		K5A4.	Artificial menopause state	K5A4.	Artificial menopause
		K5A2.	Menopausal or female climacteric state		
				XM0t2	Menopausal symptoms
62	Contraceptives	611..	contraception	61...	Contraception

	Oral	614..	Oral contraceptive (except 6142. - oral contraceptive stopped)	614..	Oral contraception
	Intra-uterine device	615..	Intra-uterine contraceptive device (except 6152. - IUD removed and 615H. - breast feeding problem)	7E090	Introduction of intrauterine contraceptive device
				XaKAN	Intrauterine contraceptive device fitting enhanced service completed
		615N.	Intrauterine contraceptive device fit by another GP practice	XaMhr	Intrauterine contraceptive device fitted by another GP practice
	Depot	61B..	Depot contraceptive (except 61B5. - depot contraceptive stopped)	XE1S7	Depot contraception
	Transdermal	61N..	Transdermal contraceptive	XaJhF	Transdermal contraceptive
	Subcutaneous	61K..	Subcutaneous contraceptive	61K..	Subcutaneous contraceptive
		7G2AD	Insertion of hormone into subcutaneous tissue	XaLjx	Insertion of hormone into subcutaneous tissue
	Diaphragm	616..	Contraceptive diaphragm (except 6165. - CAP stopped using)	XE1S4	Diaphragm contraception
	Contraceptive sponge	61D..	Contraceptive sponge (except 61D3. - stopped using contraceptive sponge)	61D..	Contraceptive sponge
	No contraception	61P..	no current contraception	XaLq9	No current contraception
	Other	15...	Gynaecological history	XE0qO	Gynaecological history
		157..	gynaecological symptoms	Xa4eE	gynaecological symptoms
		ZV723	Gynaecological examination	ZV723	Gynaecological examination
		K584.	Premenstrual tension syndrome	XE0eI	PMT - Premenstrual tension
		62...	patient pregnant	X76Qt	Confirmation of pregnancy
	Epilepsy	F25..%	Epilepsy	F25..%	Epilepsy
		F1321	Progressive myoclonic epilepsy		
		SC200	Traumatic epilepsy		
		667..	Epilepsy monitoring	667..	Epilepsy monitoring
63	Type of fit	F250.	Generalised nonconvuls.epilep.		
		F251.	Generalised convulsive epilep.		
		F254.	Partial epilepsy with impairment of consciousness		
		F255.	Partial epilepsy with no impairment of consciousness		
64	Frequency of seizures (fits/month)	6675.	Fit frequency	6675.	
		667F.	Seizure free >12 months	XaJ7s	Seizure free >12 months
		667P.	No seizures on treatment	XaJBc	No seizures on treatment
		667Q.	1 to 12 seizures a year	XaJBd	1 to 12 seizures a year
		667R.	2 to 4 seizures a month	XaJBe	2 to 4 seizures a month
		667S.	1 to 7 seizures a week	XaJBf	1 to 7 seizures a week
		667T.	Daily seizures	XaJBg	Daily seizures
		667V.	Many seizures a day	XaJBh	Many seizures a day
65	Over the last year have the fits worsened / remained the same / improved?	Free Text	comparison over the past year		
		8BIF.	epilepsy medication review	XalyV	Epilepsy medication review
66	Antiepileptic medication	dn...	epilepsy drug treatment	x00i	Epilepsy drug treatment
		6679.	epilepsy treatment started	6679.	
		6678.	epilepsy treatment changed	6678.	
		8BL3.	patient on maximum tolerable anticonvulsant therapy	XaJ5K	patient on maximum tolerable anticonvulsant therapy
		8B66.	Anticonvulsant therapy	8B66.	Anticonvulsive therapy

67	Name of drug.		BNF 51 (March 2006) used for this list. When entering drug prescribed GP should indicate what its being prescribed for therefore in theory a search for anticonvulsants in the patient notes should give all the drugs		
	Carbamazepine	dn3..%	CARBAMAZEPINE	dn3..%	Carbamazepine product
	Oxcarbamazepine	dnm..%	OXCARBAZEPINE	dnm..%	Oxcarbazepine
	Ethosuximide	dn5..%	ETHOSUXIMIDE	dn5..%	Ethosuximide
	Gabapentin	dnj..%	GABAPENTIN	dnj..%	Gabapentin
	Pregabalin	dnp..%	PREGABALIN	dnp..%	Pregabalin
	Lamotrigine	dnf..%	LAMOTRIGINE	dnf..%	Lamotrigine
	Levetiracetam	dno..%	LEVETIRACETAM	dno..%	Levetiracetam
	Phenobarbital	dn7..%	PHENOBARBITAL	dn7..%	Phenobarbital
	Primidone	dna..%	PRIMIDONE	dna..%	Primidone
	Phenytoin sodium	dn9..%	PHENYTOIN SODIUM	dn8..%	Phenytoin product
		dn8..%	PHENYTOIN		
	Tiagabine	dnl..%	TIAGABINE	dnl..%	Tiagabine
	Topiramate	dnk..%	TOPIRAMATE	dnk..%	Topiramate
	Sodium Valproate	dnb..%	SODIUM VALPROATE	dnb..%	Sodium valproate
	Valproic acid	dnh..%	VALPROIC ACID	dnh..%	Valproic acid
	Vigabatrin	dne..%	VIGABATRIN	dne..%	Vigabatrin
	Zonisamide	dnq..%	ZONISAMIDE	dnq..%	Zonisamide
	Benzodiazepines	d26..%	CLOBAZAM	d26..%	Clobazam
		dnc1.	Clobazam SLS 10mg capsules		
		dn4..%	CLONAZEPAM [EPILEPSY CONTROL]	x02Lk%	Clonazepam
	Acetazolamide [epilepsy]	dn1..%	ACETAZOLAMIDE [EPILEPSY]	x02MU%	Acetazolamide
	Piracetam	dng..%	PIRACETAM	dng..%	Piracetam
		do...%	STATUS EPILEPTICUS DRUGS		
68	Dose/frequency Levels (if indicated)		READ codes below for recording of levels. Some free text may be needed here if actual dosages and/or frequency level data are required		
	Carbamazine and Oxcarbazepine	44W5.	Carbamazepine blood level	X770n	Carbamazepine: blood level
		44W50	Carbamazepine level therapeutic	44W50	Carbamazepine level therapeutic
		44W51	Carbamazepine level low	44W51	Carbamazepine level low
		44W52	Carbamazepine level high	44W52	Carbamazepine level high
		44Ws.	Plasma carbamazepine level	XaltZ	Plasma carbamazepine level
		44uR.	Carbamazepine 10,11 epoxide level	Xalqr	Carbamazepine 10,11 epoxide level
		4Q1B.	Oxcarbazepine level	XaLEh	Oxcarbazepine level
	Ethosuximide	44W6.	Serum ethosuximide level	44W6.	Serum ethosuximide level
	Gabapentin and pregabalin	44u3	Gabapentin level	XalYx	Gabapentin level
		44Wn.	Serum gabapentin level	XalU5	Serum gabapentin level
		44uX.	Pregabalin level	XaLC5	Pregabalin level
	Phenobarbital and other barbiturates	44W2.	Serum phenobarbitone level	XE25b	Serum phenobarbitone level (preferred term phenobarbital)
		44W20	Phenobarbitone level therapeutic	44W20	Phenobarbitone level therapeutic
		44W21	Phenobarbitone level low	44W21	Phenobarbitone level low
		44W22	Phenobarbitone level high	44W22	Phenobarbitone level high
	Phenytoin	44W3.	Serum phenytoin level	X770z	Phenytoin level

		44W31	Phenytoin level therapeutic	44W31	Phenytoin level therapeutic
		44W30	Phenytoin level low	44W30	Phenytoin level low
		44W32	Phenytoin level high	44W32	Phenytoin level high
	Topiramate	44uC.	Serum topiramate level	XaIzP	Serum topiramate level
	Valproate	44W4.	Serum sodium valproate level	XE25d	Serum sodium valproate level
		44W40	Valproate Level therapeutic	44W40	Valproate level therapeutic
		44W41	Valproate Level low	44W41	Valproate level low
		44W42	Valproate level high	44W42	Valproate level high
	Vigabatrin	44WI.	Vigabatrin level	XaCE1	Vigabatrin level
		44Wf.	Serum vigabatrin level	XaEMI	Serum vigabatrin level
		44WU.	Plasma vigabatrin level	XaERZ	Plasma vigabatrin level
	Benzodiazepines	44uF.	Serum clobazam level	XalcZ	Serum clobazam level
		46Q8.	Urine Benzodiazepine	XE2my	Urine benzodiazepine
		4I73.	Oral fluid benzodiazepine level	Xaldt	Oral fluid benzodiazepine level
		44WF0	Anticonvulsant level therapeutic	44WF0	Anticonvulsant level therapeutic
69	Side effects observed in the patient. Yes	6677.	<i>Epilepsy drug side effects</i>	6677.	<i>Epilepsy drug side effects</i>
	No side effects	667X.	<i>no epilepsy side effects</i>	XaJtH	<i>No epilepsy drug side effects</i>
	Carbamazine and Oxcarbazepine	TJ632	Adverse reaction to carbamazepine	TJ632	Adverse reaction to carbamazepine
		U6064	[X]Iminostilbenes causing adverse effects in therapeutic use	U6064	[X]Iminostilbenes causing adverse effects in therapeutic use
				Xa5Jp	Carbamazepine adverse reaction
	Ethosuximide	TJ620	Adverse reaction to Ethosuximide	TJ620	Adverse reaction to ethosuximide
		U6060	[X]Succinimides causing adverse effects in therapeutic use	U6060	[X]Succinimides causing adverse effects in therapeutic use
	Phenobarbital and other barbiturates	U6070	[X] Barbiturates causing adverse effects in theraputic use NEC	U6070	[X] Barbiturates causing adverse effects in theraputic use NEC
		TJ70z	Adverse reaction to barbiturate NOS	TJ70z	Adverse reaction to barbiturate NOS
				Xa5JI%	Barbiturate antiepileptic adverse reaction
		TJ704	Adverse reaction to phenobarbitone	TJ704	Adverse reaction to phenobarbitone
		TJ631	Adverse reaction to primidone	TJ631	Adverse reaction to primidone
		U6066	[X]Other and unspecified antiepileptics causing adverse effects in therapeutic use	U6066	[X]Other and unspecified antiepileptics causing adverse effects in therapeutic use
	Phenytoin	TJ610	Adverse reaction to phenytoin	TJ610	Adverse reaction to phenytoin
		U6062	[Hydantoin derivs causing adverse effects in theraputic use.	U6062	[X]Hydantoin derivatives causing adverse effects in therapeutic use
				Xa5Jr	Phenytoin adverse reaction
	Valproate	TJ633	Adverse reaction to sodium valproate	TJ633	Adverse reaction to sodium valproate
				Xa5Jk	Sodium valproate adverse reaction
		U6065	[X] Valporic acid causing adverse effects in theraputic use	U6065	[X]Valproic acid causing adverse effects in therapeutic use
	Benzodiazepines	TJ946	Averse reaction to clobazam	TJ946	Adverse reaction to clobazam
				Xa5KH	Clobazam adverse reaction
		U6071	[X] Benzodiazepines causing adverse effects in theraputic use	TJ94.	Adverse reaction to benzodiazepine-based tranquilliser
		TJ94z	Adverse reaction to benzodiazepine-based tranquilliser NOS	TJ94z	Adverse reaction to benzodiazepine-based tranquilliser NOS
	Other drugs	TJE20	Adverse reaction to acetazolamide	TJE20	Adverse reaction to acetazolamide
				Xa5cN	Acetazolamide adverse reaction
		U60E2	[X] Carbonic-anhydrase inhibitors causing adverse effects in theraputic use	U60E2	[X]Carbonic-anhydrase inhibitors causing adverse effects in therapeutic use

		U60E2	[X] Carbonic-anhydrase inhibitors causing adverse effects in therapeutic use	U60E2	[X]Carbonic-anhydrase inhibitors causing adverse effects in therapeutic use
				Xa5Jf	Antiepileptic adverse reaction
	Behavioural disturbance Behavioural disturbance in people with a learning disability is often an indicator of other morbidity. For this reason it is important to record it as it can point to other morbidity.				
70	Has there been a change in behaviour since the last review: eg aggression, self injury, over-activity?	3AB3.	Behaviour change	XaFwP	Change in behaviour
		1P...%	Behaviours and observations relating to behaviour (hyperactivity, verbal aggression, compulsion etc)	X75Wn%	Behaviours and observations relating to behaviour
		1469.	H/O behaviour problem	1469.	H/O behaviour problem
				Xa0Xh	Problem behaviour
		E2C..%	Behaviour disorder (aggression, impulsive behaviour, neurosis etc)	X00TU%	Childhood conduct disorder
				Eu63.%	Habit and impulse disorder
		Eu...%	[X] mental and behavioural disorders	Eu...	[X]Mental and behavioural disorders
		Eu6..%	[X]Disorders of adult personality and behaviour (exc. Eu64., Eu65.)	Eu6..%	[X]Disorders of adult personality and behaviour
		Ry1..%	[D]Symptoms and signs involving appearance and behaviour (self neglect, overactivity, verbosity etc)	Ry1..%	[D]Symptoms and signs involving appearance and behaviour
	self harm	146B.	H/O: deliberate self harm	XaF9U	H/O: deliberate self harm
		ZV1B2	[V]Personal history of self-harm	ZV1B2	[V]Personal history of self-harm
		U720.	[X]Sequelae of intentional self-harm	U720.	[X]Sequelae of intentional self-harm
		U2...	[X]Intentional self-harm	XE22c	[X]Intentional self-harm
				X766K%	Self-injurious behaviour
71	Are you aware of any risk or change in the level of risk to the patient ?	14OK. To 14ON.	Risk of self neglect	Xalv1%	Risk of self neglect
		1BD..%	Harmful thoughts (self harm/suicide) (excluding 1BD9. - no harmful thoughts)	1BD..%	Harmful thoughts
				Ua1WE%	Suicide risk
				X75yS	Planning suicide
				1BD1.	Suicidal thoughts
		13VE.	At risk of accident at home	13VE.	At risk accident in home
		14OP.	At risk of sexually transmitted infection	XaJ2M	At risk of sexually transmitted infection
	risk to others?	9NFN.	Risk to care professional	XaK3v	Risk to care professional
		14OE.	At risk of harming others	XalVk	At risk of harming others
72	If yes, has this been communicated to key health and social care professionals?	9Oh3.	Multiprofessional risk assessment done	XaJdn	Multi-professional risk assessment done
		388i.	Case management risk assessment done	XaLWw	Case management risk assessment score
		3875.	Social Services case conference	3875.	Social Services case conference
		671C.	Discussed with doctor	Xalei	Discussed with doctor
		6719.	Discussed with consultant	Xalef	Discussed with consultant
		671A.	Discussed with district nurse	Xaleg	Discussed with district nurse
		6718.	Discussed with health visitor	Xalee	Discussed with health visitor
		671B.	Discussed with practice nurse	Xaleh	Discussed with practice nurse
	Physical Examination - General appearance				
		2126.	Patient's condition improved	XE1gy	Patient's condition improved
		2127.	Patient's condition worsened	XE2rG	Patient's condition worsened

		2128.	Patient's condition the same	2128.	Patient's condition the same
73	Are there any abnormal physical signs or key negative findings?				
		212..	Patient examined	212..	Patient examined
		22...%	General examination of patient	22...%	General examination of patient
	no abnormal signs	2125.	Nil abnormal on examination	2125.	Nil abnormal on examination
	Patient refused?	813Z.	Refused procedure NOS		
		2221.	General observation NAD	2221.	O/E - general observation =NAD
		22M..%	O/E - state of care	22M..%	O/E - state of care
74	If yes please specify:	212B.	O/E looks ill	212B.	O/E looks ill
				Xa96I	Looks ill
		222A.	O/E obese	222A.	O/E - obese
		222M.	O/E undernourished	Xa1rm	O/E - undernourished
				X76Bj	Undernourished
		2225.	O/E dehydrated	2225.	O/E - dehydrated
		2272.	O/E colour pale	Xa02t%	Observation of colour of skin
		2C2..%	O/E anaemia	2C2..%	O/E - anaemia
		2274.	O/E jaundiced colour	2274.	O/E - jaundiced colour
				X769z	Jaundice
		22H..%	O/E thyroid gland	22H..%	O/E - thyroid gland
				Xa8B7%	Observation of thyroid gland
		298..%	O/E posture	298..%	O/E - posture
				Xa6u8%	Observation of body posture
		299..%	O/E gait	299..%	O/E - gait
				Xa6tO%	Observation of gait
		2C3..	O/E lymphadenopathy	2C3..%	O/E - lymphadenopathy
				Xa871%	Observation of size of lymph node
		225..	O/E state of mind	225..%	O/E - state of mind
				Ua16B%	Emotional state observations
		2229.	O/E senile -old age	XE1h0	O/E - senile - old age
		2232.	O/E mentally confused	2232.	O/E - mentally confused
		284..	O/E disorientated	284..	O/E - disorientated
				XaCwm%	Observations related to orientation
	Cardiovascular System				
75	Are there any abnormal physical signs or key negative findings?				
		24...	Exam. of cardiovascular system%	XM09d%	O/E - cardiovascular
				Xa7tB%	General cardiovascular observations
76	If yes please specify:	243..%	O/E pulse rhythm.	XE1hK%	O/E - pulse rhythm
				Xa7sd%	Observation of pulse rhythm
		244..%	O/E pulse character	244..%	O/E - pulse character
				XM02M%	Character of pulse
		245..%	O/E arterial wall character	245..%	O/E - arterial wall character
				X76L8%	Condition of arterial wall
		247..%	O/E arterial bruit	247..%	O/E - arterial bruit
				Xa7sY%	Observation of arterial bruit
		248..%	O/E venous system examined	XaBzK%	O/E - vein

				X76LE%	Venous observation
		249..%	O/E apex beat	249..%	O/E - apex beat
				Xa85Y%	Observation of apex beat
		24A..%	O/E cardiac thrill	24A..%	O/E - cardiac thrill
				24A1.	O/E - no cardiac thrill
				Xa7sN%	Observation of cardiac thrill
		24C..%	O/E Pericardial friction rub	24C..%	O/E - pericardial friction rub
				Xa7sC%	Observation of pericardial friction rub
		24D..	O/E Cardiac murmur	XE1hN%	O/E - cardiac murmur
				24D1.	O/E - no cardiac murmur
				Xa7sH%	Observation of heart murmur
		24E..%	O/E - peripheral pulses R.-leg	XE1hO%	O/E - peripheral pulses R.-leg
		24F..%	O/E - peripheral pulses L.leg	XE1hP%	O/E - peripheral pulses L.leg
				Xa7sZ%	Observation of peripheral pulse
		24H..	O/E Poor tissue perfusion	XaJWC	O/E - poor tissue perfusion
				X76LI%	Peripheral blood flow
77	Pulse beats/min	242..%	O/E - pulse rate	XaBzI%	O/E - pulse
78	Blood pressure	246..%	O/E - blood pressure reading	246..%	O/E - blood pressure reading
				X773t%	Blood pressure
	Patient refused?	813Y.	BP procedure refused	XaJkR	Blood pressure procedure refused
79	Ankle Oedema	22C2.	O/E - oedema of ankles	22C2.	O/E - oedema of ankles
				XM01K	Ankle oedema
		R0233	[D] Oedema localised	R0233	[D]Oedema, localised
				XM1C3	Localised oedema
		R0234	[D] Peripheral oedema	R0234	[D]Peripheral oedema
	no oedema	22C1.	oedema not present	22C1.	O/E - oedema not present
80	Heart sounds	24B..%	O/E - heart sounds	24B..%	O/E - heart sounds
	Respiratory system				
81	Are there any abnormal physical signs or key negative findings				
		23...%	O/E - respiratory	XM09c	O/E - respiratory
		231..%	Depth of respiratory system examination	231..	Depth of respiratory system examination
				XE1hD%	Examination of respiratory system
	no abnormal signs	2315.	Respiratory system examined - NAD	XE1hE	Resp. system examined - NAD
82	If yes please specify:	232..%	O/E Type of respiration	XE1hF%	O/E type of respiration
				Xa7v4%	Observation of respiration
		233..%	O/E Chest expansion	233..%	O/E - chest expansion
				XM01k%	Chest expansion
		234..%	O/E Breathing method	234..%	O/E - breathing method
				XM01m%	Method of breathing
				X76HI%	Respiratory effort
		235..%	O/E Rate of respiration	235..%	O/E - rate of respiration
				Xa7v5%	Observation of rate of respiration
		236..%	O/E Depth of respiration	2361.	O/E - depth of resp. normal
				XM01r%	Depth of respiration
		237..%	O/E Chest deformity	237..%	O/E - chest deformity

				Xa70n%	Observation of appearance of thorax
		238..%	O/E Position of trachea	238..%	O/E - position of trachea
				XM01y%	Position of trachea
		239..%	O/E vocal fremitus	239..%	O/E - vocal fremitus
				XM022%	Vocal fremitus
		23A..%	O/E Percussion note - chest	23A..%	O/E - percussion note - chest
				X76IM%	Chest resonance to percussion
		23B..%	O/E Breath sounds	23B..%	O/E - breath sounds
				XM024%	Breath sounds
		23C..%	O/E Vocal resonance	23C..%	O/E - vocal resonance
				XM027%	Vocal resonance
		23D..%	O/E Adventitious sounds	XE1hG	O/E - adventitious sounds
				XM02B%	Adventitious breath sounds
		23E..%	O/E Non-specific respiratory lesion	23E..%	O/E - nonspecific respiratory lesion
		23F..%	O/E Respiratory device	Xalx1%	O/E - respiratory device
	Abdomen				
83	Are there any abnormal physical signs or key negative findings?				
		25...%	Exam. of digestive system	X76cA%	Digestive system observation
		251..%	Depth of GIT examination	251..%	Depth of GIT examination
				XE1hQ%	Examination of digestive system
	no abnormal signs	2516.	abdomen examined - NAD	2516.	Abdomen examined - NAD
84	If yes please specify:			XM0A4%	Abdominal examination interpretation
		258..%	O/E abdominal wall skin	258..%	O/E - skin of abdomen
				Xa7VY%	Observation of skin of abdominal wall
				X76db%	Umbilicus observation
				XM036	Striae gravidarum
		259..%	O/E abdominal wall movement	259..%	O/E - abdominal wall movement
				X76dk%	Observation of movement of abdomen
				Xa7Vk	No abdominal movement
		25A..%	O/E abdominal wall contour	25A..%	O/E - abdominal wall contour
				Xa7Ve	Observation of contour of abdomen
		25B..%	O/E intra-abdominal movement	25B..%	O/E - intra-abdominal movement
				XM03A%	Intra-abdominal movement
		25C..	O/E abdominal pain on palpation	XE1hU%	O/E - abdo. pain on palpation
				XM118%	O/E - abdominal pain
		25D..	O/E guarding on palpation	25D..%	O/E - guarding on palpation
				25D1.	O/E - no guarding on palpation
				Xa7Vo%	Observation of abdominal guarding
		25E..%	O/E rebound tenderness	25E..%	O/E - rebound tenderness
				25E1.	O/E - no rebound tenderness
				XM03B%	Rebound tenderness
		25F..%	O/E abdominal rigidity	25F..%	O/E - abdominal rigidity
				Xa7Vz%	Observation of abdominal rigidity
		25G..%	O/E liver palpated	XE1hW	O/E liver palpated
				XM03D	Liver not palpable
				X76e6%	Size of liver

		25H..%	O/E liver character	25H..	
				Xa7UG%	Observation of consistency of liver
				Xa7UO%	Observation of sensation of liver
				Xa7US	Observation of pulsation of liver
				Xa7UV	Liver normal
		25I..%	O/E gall bladder palpated	25I..%	O/E - gallbladder palpated
				25I1.	O/E - gallbladder not palpable
				X76eA%	Gallbladder observation
		25J..%	O/E - abdominal mass palpated	25J..%	O/E - abdominal mass palpated
		25K..%	O/E-abdominal mass consistency	XM097%	Abdominal mass
		25L..%	O/E - abdominal mass shape		
		25O..%	O/E - ascites	25O..%	O/E - ascites
				X76dx%	Dipping - observation
				Xa7W2%	Observation of fluid thrill of abdomen
		25P..%	O/E hernial orifices examined	XE1hX%	hernial orifices examined
				Xa2ic	Examination of hernial orifices
		25R..%	O/E percussion of abdomen	25R..%	O/E - percussion of abdomen
				X76dp%	Abdominal percussion note
		25S..%	O/E bowel sounds	25S..%	O/E - bowel sounds
				25S2.	O/E - bowel sounds absent
				Xa7W8%	Observation of bowel sounds
		25T..%	O/E stoma	Ua1hk%	Observation of appearance of stoma
		25T..%	O/E stoma	Ua1iz	Stoma bag leaking
				Ua1iy	Stoma seal leaking
Dermatology					
	Are there any abnormal physical signs or key negative findings?				
		2F...%	Examination of skin	XM09r%	O/E - skin
				Ua1bV%	Skin observation
85	Any signs or symptoms?	2F1..%	O/E general skin examination	2F1..%	O/E - general skin exam. (exc. 258..%, 2FM..%)
				XE1iE	O/E - foreign body in skin
				XaKPC	O/E - sacral tuft of hair
				XaJv1	O/E - asymmetrical thigh creases
		2F2..	O/E macules	2F2..%	O/E - macules
				2F21.	O/E - no macules
				XM07T	Petechiae
				Xa9Rh	Superficial ecchymosis
				PH312	Capillary naevus of skin
		2F3..%	O/E papules	2F3..%	O/E - papules
				2F31.	O/E - papules not present
				XM05f	Papular eruption
		2F4..%	O/E nodules in skin	2F4..%	O/E - nodules in skin
				2F41.	O/E - skin nodules not present
				Xa6qP	Skin nodule
		2F5..%	O/E vesicles	XM1X0%	O/E - vesicles in skin
				2F51.	O/E - vesicles not present
				M2y42	Vesicular eruption

		2F6..%	O/E skin bullae	XE1iG%	O/E - skin bullae
				2F61.	O/E - skin bullae not present
				XM05i	Bullous eruption
		2F7..%	O/E pustules	2F7..%	O/E - pustules
				2F71.	O/E - no pustules present
				XM05j	Pustule
		2F8..	O/E weals present	2F8..%	O/E - weals present
				2F81.	O/E - weals not present
				X75uX%	Weal
		2F9..	O/E skin scales	2F9..%	O/E - skin scales
				2F91.	O/E - skin scales not present
				XM05k	Scaly skin
		2FA..%	O/E skin burrows	2FA..%	O/E - skin burrows
				2FA1.	O/E - no skin burrows
				XM05l	Burrows in skin
		2FB..%	O/E blackheads	2FB..%	O/E - blackheads
				2FB1.	O/E - blackheads not present
				X75uR%	Comedone
		2FC..%	O/E skin plaques	2FC..%	O/E - skin plaques
				2FC1.	O/E - no skin plaque
				Xa02s	Skin plaque
		2FD..%	O/E skin cyst	2FD..%	O/E - skin cyst
				2FD1.	O/E - skin cyst not present
				Xa340%	Cyst of skin
		2FE..%	O/E skin fissures(rhagades)	2FE..%	O/E - skin fissures (rhagades)
				2FE1.	O/E - no skin fissures
				XM05o	Fissure in skin
		2FF..%	O/E - skin ulcer	2FF..%	O/E - skin ulcer (exc. XaBLZ, XaBLa, Xalex)
				2FF1.	O/E - no skin ulcer
				XM05p	Skin ulcer
		2FG..	O/E skin scar	2FG..%	O/E - skin scar
				2FG1.	O/E - no skin scarring
				Xa3X7%	Wound scar
		2FH..%	O/E skin crust	2FH..%	O/E - skin crust
				2FH1.	O/E - no skin crust
				XM05r	Crust on skin
		2FI..%	O/E sinus in skin	2FI..%	O/E - sinus in skin
				2FI1.	O/E - skin sinus not present
				XM05s	Skin sinus
		2FJ..	O/E skin tags	2FJ..	O/E - skin tags
				M21z1	Skin tag
		2FK..	O/E peeling skin	2FK..	O/E - Peeling skin
				XM05u	Peeling of skin
		2FL..	O/E lichenified skin	2FL..	O/E lichenified skin
				Xa0w7	Lichenification of skin
		2FM..%	O/E skin colour	2FM..%	O/E skin colour (exc 2HD..%)
				Xaluv	Lower leg skin pigmentation

				X75ty	Erythema - observation (has synonym Red skin)
				Xa02t%	Observation of colour of skin
		2FN..	O/E tenderness of skin	2FN..	O/E - tenderness of skin
				Xa6mt	Skin tender
				Xa6mu	Skin non-tender
		2FO..	O/E discoid rash	2FO..	O/E - discoid rash
		2FR..	O/E butterfly rash	XaEEr	Butterfly rash
		2FS..	O/E petechiae	XM07T	Petechiae
				2F23.%	O/E - petechiae present (See 2F2..% above)
		2FT..	O/E pigmented skin lesion	M2yC.%	Pigmented skin lesion
		2FU..%	O/E erythematous rash	XaIO6	O/E - erythematous rash
				XaIVx	O/E - dribble rash
		2FW..%	Examination of scalp	Xalq4	Examination of scalp
				Xalq5	O/E - scalp rash
		2FY..	O/E skin lesion	XM1Wy	O/E - skin lesion
				Xa02q	Skin lesion
		2FZ..	O/E skin examination NOS	XE1il	O/E - skin examination NOS
		211..	Patient not examined	211..	Patient not examined
		8I3Z.	Refuse procedure NOS	8I3Z.	Refuse procedure NOS
86	Diagnosis	M....%	Skin and subcutaneous tissue diseases	M....%	
			Request new V2 code and term	XaLTH	Examination refused
	Breast				
		26B..%	O/E general breast examination	26B..%	O/E - general breast exam.
	no abnormal signs	26B1.	General breast exam - NAD	Xa4jL	Breast normal
		K5A2.	Female climacteric state	X76Mj%	Breast observations (Excluding Xa4jz%, X76MI, X76Ne)
87	Are you aware of any breast symptoms or signs?	26C..%	O/E - general nipple examination	X76N7%	Nipple observation
		26D..%	O/E - nipple discharge	26D..%	O/E - nipple discharge
				K3174%	Nipple discharge
		26E..%	O/E breast lump palpated	K3171%	Breast lump
		K5A2.	Female climacteric state	XM1YU%	O/E - breast lump position
88	If yes, please indicate what action has been taken:	Free Text	Explanation of action taken	Free Text	Explanation of action taken
		8921.	Consent for operation refused	8921.	Consent for operation refused
			Request new term - unable to give consent		Request new term - unable to give consent
		K5A2.	Female climacteric state	K5A2.	Female climacteric state
89	If no, please indicate why (eg consent issues)	Free text	Explanation of why action has not been taken	Free text	Explanation of why action has not been taken
	Central Nervous System It is often difficult and not relevant to perform a full neurological examination, however, people with a learning disability are particularly prone to abnormalities in vision, hearing and communication – a change in function would suggest further investigation is necessary	2B...%	Central nervous system exam.	XaBzB%	O/E - CNS examination
				X75YQ%	Neurological observations
	no abnormal signs	2B12..	O/E CNS normal	2B12.	O/E - CNS examination normal
		2B1..	O/E - CNS examination -general	XM11R	Nervous system examination - general
				X75ZG%	Central nervous system observation
90	Vision	XM09n	O/E - eye	XM09n%	O/E - eye
		22E..	General eye examination	22E..%	O/E - general eye examination

				X75aw%	Eye and vision observations
		22EK.	O/E visual acuity with glasses	XaJTp	O/E - visual acuity with glasses
		22EL.	O/E visual acuity without glasses	XaJTq	O/E - visual acuity without glasses
		2B6..	visual acuity R-eye	2B6..	O/E - visual acuity R-eye
		2B7..	visual acuity L-eye	2B7..	O/E - visual acuity L-eye
				X77Ng%	Visual acuity
		22E6.	O/E glass (prosthetic) eye	22E6.	O/E - glass (prosthetic) eye
				XM0GX	Glass eye
		22EF.	O/E has one eye	22EF.	O/E - has one eye
		22EH.	lazy eye	X75bA	Lazy eye
		2B81.	near vision normal	2B81.	O/E - near vision normal
91	Normal vision?	668A	Normal vision	668A.	Normal vision
		2B8..	O/E - near vision	2B8..%	O/E - near vision
92	Minor visual problem?			X77NI%	Near visual acuity
	Detail actual visual acuity for right and left eye and record using the children of these terms	2B6..%	O/E - visual acuity R-eye	2B6..%	O/E - visual acuity R-eye
		2B7..%	O/E - visual acuity L-eye	2B7..%	O/E - visual acuity L-eye
				X77Ng%	Visual acuity
	Major visual problems?	F49..%	blindness and low vision	XE16L%	Impaired vision
		F45..%	Glaucoma	F45..%	Glaucoma
		6688.	registered partially sighted	XE1T1	Registered partially blind
		668C.	certificate of vision impairment	XaLMz	Certificate of vision impairment
93	Major visual problems?	6689.	registered blind	6689.	Registered blind
		22EG.	wears glasses	Ua1jQ	Wears glasses
		22EQ.	wears contact lenses	Ua1jI	Wears contact lenses
	Vision corrected with aid?	2B6T - 2B6Y	R-eye visual acuity (corrected)	XaJTa XaJTb XaJTc XaJTd XaJTe	R-eye visual acuity (corrected)
		2B7T - 2B7Y	L-eye visual acuity (corrected)	XaJTg XaJTi XaJTj XaJTI XaJTm	L-eye visual acuity (corrected)
		8D3..%	visual aid	XE0i5%	Visual aid
				8D34.%	Provision of contact lens
				8D33.%	Provision of spectacles
				XE2x3	Removable artificial eye
94	Is the carer/key worker concerned?	671E.	discussed with carer	XalpO	Discussed with carer
		9N2U.	seen by optician	9N2U.	Seen by optician
95	When did the patient last see an optician?	date	date seen by optician	date	date seen by optician
96	Is there a cataract?	22E5.	O/E cataract present	22E5.	O/E - cataract present
		2BT0.	O/E right cataract present	XaBLO	O/E - Right cataract present
		2BT1.	O/E left cataract present	XaBLP	O/E - Left cataract present
				22E5.	O/E - cataract present
	When did the patient last see an optician?	9N2U.	seen by optician	9N2U.	seen by optician

		date	date seen by optician		
	Is there a cataract?	22E5.	O/E cataract present	22E5.	O/E cataract present
				F46..	Cataract
		2BT0.	O/E right cataract present	XaBLO	O/E - Right cataract present
		2BT1.	O/E left cataract present	XaBLP	O/E - Left cataract present
	Hearing	2BL..%	O/E - hearing tested-8th nerve	XaBzF%	O/E - hearing
		2DH..	O/E hearing		
		3135.	routine hearing test	XE1Oi	Routine hearing test
		2BL1..	O/E hearing normal	2BL1.	O/E - hearing normal
		1C11.	normal hearing	1C11.	Hearing normal
97	Normal hearing? (drop down boxes)	3133.	Auditory/vestib. test normal	XM1UV	Hearing test normal
		2BL2.	O/E slightly deaf	2BL2.	O/E - slightly deaf
		1C1..%	Hearing symptoms	X75pq%	Hearing observations
98	Minor hearing problem?	1C12.	Hearing difficulty	1C12.	Hearing difficulty
		1493.	H/O poor hearing	1493.	H/O: hearing problem
		F59..%	Hearing loss	Xa7SW%	Disorder of hearing
		P40..	ear anomalies with hearing impairment	P40..	Ear anomalies with hearing impairment
		1C16.	Deteriorating hearing	XaFo1	Deteriorating hearing
		ZV412	[V]Problems with hearing	ZV412	[V]Problems with hearing
				Xa7SQ	Hearing problem
99	Major hearing problem?	2BL3.	O/E significantly deaf	2BL3.	O/E - significantly deaf
		2BL4.	O/E very deaf	2BL4.	O/E - very deaf
		2BL5.	O/E completely deaf	2BL5.	O/E - completely deaf
		2BL6.	O/E patient noted to be lip reading	XaCJq	O/E - patient noted to be lip-reading
				Xa4A6	Using lip-reading
		1C13.%	Deafness symptom	XE0s9%	Hearing loss
100	Hearing aid worn?	2DG..	Hearing aid worn	Xa0LN	Hearing aid worn
		2DH0.	Uses hearing loop	XaKjD	Uses hearing loop
101	Hearing aid fitted?		Request new term - Bone anchored hearing aid	XaAv5	Bone anchored hearing aid
		8D2..	Auditory aid	XM0F9%	Aid to hearing
				Xa1pl%	Auditory aid provision
		8M41.	hearing aid requested	Xalkt	Hearing aid requested
		9NOb.	seen in hearing aid clinic	XaEEV	Seen in hearing aid clinic
102	Is the carer/ key worker concerned?	Free text		Free text	
		671E.	discussed with carer	XalpO	Discussed with carer
103	External auditory canal examination	2D8..%	O/E auditory canal	2D8..%	O/E - auditory canal
				X75ow%	Ear canal observation
		2D13.	Ear examination normal	Xa7Rr%	Ear normal
		2D8..	Auditory canal NAD	2D81.	O/E - auditory canal - NAD
104	Any wax?	2D82.	O/E wax in auditory canal	2D82.	O/E - wax in auditory canal
				XM05F	Wax in ear canal
		2D63.	O/E waxy ear discharge	2D63.	O/E - waxy ear discharge
		F504.	Impacted cerumen (wax in ear)	XE2QC	Impacted wax
		1CE..	C/O wax in ear	XaFvv	C/O - wax in ear
		73051	Manual removal of wax from external auditory canal	73051	Manual removal of wax from external auditory canal
		73050	Irrigation of external auditory canal for removal of wax	73050	Irrigation of external auditory canal for removal of wax
105	Does your patient see an audiologist?	9N2T.	seen by audiologist	9N2T.	Seen by audiologist

106	Other investigation	2D1..	ENT examination general?	2D1..	ENT examination - general
	Communication				
		2D...%	Ear, nose + throat examination	XM09p	O/E - ENT
				Xa6bM%	Ear, nose and throat observations
				XE1i6%	Examination of ear, nose and throat
107	Does your patient communicate normally?/ have a problem with communication?			XaBzD%	O/E - communication
		2B5..%	O/E - symbolic dysfunction	Xa4Pg%	Speech observations
		2B4..%	O/E - speech defect	XE1i0%	O/E - speech defect
		2B49.	O/E stammer/stutter	2B49.	O/E - stammer/stutter
		2B4A.	O/E speech delay	Xa1UM	O/E - speech delay
		13o..	Communication skills	XalyF	Communication skills
		1B9..	speech problem	XE0s5%	Speech problem
		ZV401	[V]Problems with communication, including speech	ZV401	[V]Problems with communication, including speech
108	Does your patient communicate with aids? (eg writing pad, signing)	8DB..	communication aid	Ua0wB	Communication aid
109	Does your patient have a severe communication problem?	8010.	Provision of communication aids	Ub0sQ	Provision of communication aid
		80OF.	provision of support as signing user	XaDz3	Provision of support as signing user
110	Does your patient see a speech therapist?	9N29.	Seen by speech therapist	9N29.	Seen by speech therapist
		8E2..%	Speech defect remedial therapy	8E21.%	Speech and language therapy
111	Where communications problems exist have practice staff been made aware & medical record tagged. ?	Free text		Free text	
	Mobility				
		Free text	Description of mobility issues, if any.	Free text	
		29L..%	O/E co-ordination	XE1hw%	O/E - coordination
				Xa6te%	Observation of coordination
		398..%	Mobility assessment	398..%	Mobility - assessment
		13C..%	mobility - social functioning	Xa8AI%	Observation of mobility
				Xa8E4%	Access to transport and related observations
				Xa1mA%	WHO performance status finding
				Ua22H%	Physical activity
113		680..	mobility screen	680..	mobility screen
		2981.	O/E posture normal	2981.	O/E - posture normal
				Xa6uB	Body posture normal
	Is your patient fully mobile?	13C1.	fully mobile	13C1.	Fully mobile
113	if no please specify nature and severity of mobility loss	13C2.	mobile outside with aid	13C2.	Mobile outside with aid
		13C3.	mobile in home	13C3.	Mobile in home
		13CG.	mobility fair	13CG.	Mobility fair
		13CP.	impaired mobility	Ua1nC	Impaired mobility
		13CE.	mobility poor	13CE.	Mobility poor
		13CD.	mobility very poor	13CD.	Mobility very poor
		13C5.	confined to chair	13C5.	Confined to chair
		13C6.	bed ridden	13C6.	Bed-ridden
		13CA.	housebound	13CA.	Housebound
		9NN0.	under care of podiatrist	XaARD	Under care of podiatrist
		1D28.	Symptom: ankle/foot	XE0sL%	Symptom: ankle/foot

	Uses a wheelchair user	3981.	independent in wheelchair	3981.	Independent in wheelchair
		3982	minimal help in wheelchair	3982.	Minimal help in wheelchair
		398A.	dependant on helper pushing wheelchair	XaJi6	Dependent on helper pushing wheelchair
		ZV462	[V]Dependence on wheelchair	ZV462	[V]Dependence on wheelchair
				Ua1pR	Wheelchair bound
	Uses a walking stick	8DA6.	loan of walking stick	8DA6.	Loan of walking stick
	Uses a walking frame	8D44.	walking frame	XE0I7	Walking frame
		13C4.	walking aid in home	13C4.	Needs walking aid in home
	Crutches	8DA5.	loan of crutches	8DA5.	Loan of crutches
	splints	8D58.	shin splint	8D58.	Shin splint
	boots	8D42.	surgical boots/footwear	XE0I6	Surgical boots or footwear
114	Has there been any change in mobility and dexterity of patient since the last review?	Free text		Free text	
115	If yes, please specify:	Free text		Free text	
	Other Investigations				
116	Are there any further investigations necessary?				
117	If yes please indicate	4131.	Blood test requested	XaK6t	Blood test requested
		8BR..	Investigation indicated	XaLMu	Investigation indicated
		4...%	Laboratory procedures	X7A0B%	Laboratory test
		69C4.	individual sight examination	69C4.	Individual sight examination
		8H...%	Referral for further care (Excluding referral to paediatric specialties, plastic surgery and burns, palliative/terminal care and intensive/emergency care)	XaAfK%	Referral to doctor (Excluding referral to paediatric specialties, plastic surgery and burns, palliative/terminal care and intensive/emergency care)
		8HHS.	Referral for minor surgery	XaJub	Referral for minor surgery
		8H3..	Non-urgent hospital admission	8H3..	Non-urgent hospital admission
		8HM..%	Listed for admission to hospital (excluding 8HM2 -I isted for Paediatric admission, 8HMM. - listed for Paediatric surgery admission, 8HMP. - listed for plastic surgery admission)	8HM..%	Listed for admission to hospital (excluding 8HM2 -I isted for Paediatric admission, 8HMM. - listed for Paediatric surgery admission, 8HMP. - listed for plastic surgery admission)
		8HP..%	Referral for laboratory tests	XE0IU%	Referral for laboratory tests
		8HQ..%	Referral for imaging	8HQ..%	Refer for imaging
		8HR..%	Refer for physiology investign	XE0IV%	Refer for physiology investign
		8HS..	Referral for endoscopy	XE0IW	Referral for endoscopy
		8HT..%	Referral to clinic	8HT..%	Referral to clinic
	Syndrome Specific Check - Certain syndromes causing learning disabilities are associated with increased morbidity for this reason it is important to record:				
118	Is the cause of learning disability known? If yes, what is it?				
	Downs syndrome	PJOZ.	Down's syndrome	XE1MZ	Down's syndrome
	Autistic spectrum disorder	E140..%	Autism	XE2v2%	Childhood autism
		Eu840	[X]Childhood autism		
		Eu841	[X]Atypical autism	X00TN	Atypical autism
	Asperger's	EU845	Asperger's syndrome	X00TP	Asperger syndrome
	Fragile X syndrome	PJyy4.	Fragile x syndrome	X78FB	Fragile X syndrome
	Neurofibromatosis (Von Recklinghausen's syndrome)	BBe..	Neurofibromas	Xa99T	Neurofibromatosis
	Prader Willi	PKy93	Prader Willi	PKy93	Prader-Willi syndrome

	Sturge Weber	PK61.	Sturge Weber	PK61.	Sturge-Weber syndrome
	Phenylketonuria	C301.	Phenylketonuria	C301.	Phenylketonuria
	tuberous sclerosis	PK5..	tuberous sclerosis	PK5..	Tuberous sclerosis
	Neural tube disorder	P1...	spina bifida	P1...	Spina bifida
	microcephaly	P21..	Microcephalus	P21..	Microcephalus
	Alzheimer's	F110.%	Alzheimer's disease	F110.%	Alzheimer's disease
	Cerebral palsy	F1370.	Athetoid cerebral palsy	XE2Q7	Athetoid cerebral palsy
		F23..	congenital cerebral palsy	XE2Q8	Cerebral palsy
		F23y.	Other congenital cerebral palsy	F23y.	Other congenital cerebral palsy
		F23z.	Congenital cerebral palsy NOS	F23z.	Congenital cerebral palsy NOS
		G669.	Cerebral palsy not congenital or infantile, acute	XaBE2	Cerebral palsy, not congenital or infantile, acute
	general	PK...	congenital abnormalities	P....	Congenital abnormality
119	Has the patient had a genetic investigation?	4L...	genetic observations	XaE6I	Genetic observations
		8H41.	refer to geneticist	XaBTP	Refer to geneticist
120	Result? .	Free text or above codes for syndromes?			
121	If your patient has Down's syndrome he/she should have a yearly thyroid profile [including autoantibodies].Has this been done?	442..	Thyroid hormone check (TFT)	XE25E	Thyroid hormone tests
		43G..	autoantibody titres	43G..	Autoantibody titres
		168..	lethargy	XM06o	Lethargy
		42YD.	B12 folate level	XalqS	B12/folate level
	Medication Review (all illnesses)	8BI..	other medication review	Xalnd	Other medication review
		8B3X.	medication review with patient	XaJCO	Medication review with patient
		8B3y.	medication review of medical notes	XaJCN	Medication review of medical notes
		8I3V.	medication review declined	XaJf5	Medication review declined
			Record drugs from Read Code Drugs section		Record drugs from Read Code Drugs section
122	Drug	a.... To u....	Drugs from Read Code Drug dictionary	x00xm%	Drug
123	Dose		Record drug dose from prescription		Record drug dose from prescription
124	Side effects (choose appropriate child concept)	U60..%	[X]Drugs, medicaments and biological substances causing adverse effects in therapeutic use	U60..%	[X]Drugs, medicaments and biological substances causing adverse effects in therapeutic use
				Xa1zr%	Adverse reaction to drug
		8BIE.	has shown side effects from medication	XaluW	Has shown side effects from medication
		8B3O.%	Drug declined by patient	8B3O.%	Drug declined by patient
			Where appropriate record the blood drug levels from the children of 44W..		Where appropriate record the blood drug levels from the children of X770h%
125	Levels (choose appropriate child concept)	44w..%	Blood drug levels	X770h%	Drug level
	List over the counter drugs where known	iz...%	Over the counter products	iz...%	Over the counter products
	suspected drug abuse	1J1..	Suspected drug abuse	Ua1VE%	Self-administration of medication
				1J1..	Suspected drug abuse
	Summary of Welsh Health Check				
126	Please list the key findings from the review .	Free text	list of key findings		
	Actions taken				

127	Please list the actions that have arisen as a result of the review and indicate how these have been dealt with. Further investigations and referrals breast screening and mammogram referrals detailed in 'other investigations' section above				
	Health education advice and counselling	672..%	Person counselled	672..%	Person counselled
		673..%	Person counselled by..	XE1TI%	Person counselled by
		674..%	Social counselling	674..% XaECE% XaEC7%	Social counselling Relationship counselling Work-related counselling
		678..%	Health education - general	678..%	Health education - general
		679..%	Health education - subject (excluding 6796.- donor status, 679D. - resuscitation training	XE1TL% 6797. 679A. 679C. 6793.	Health education - subject Health ed. - immunisation Health ed.- drugs of addiction Health educn - back problems Health education on cervical cytology
		67A..%	Pregnancy advice	67A..%	Pregnancy advice
		67H..%	Lifestyle counselling	XaEFY%	Lifestyle counselling
		67...%	Counselling/health education	XE1TH%	Counselling, advice and education
		8CAI.	Patient given advice about suitable footwear	XaMHX	Patient given advice about suitable footwear
		8CAL.	Smoking cessation advice	Ua1Nz	Smoking cessation advice
		8HHH.	Refer to weight management programme	XaJSu	Refer to weight management programme
		6777. 677S. 677D.	contraception counselling Counselling for intrauterine device Counselling for intrauterine device	6777.%	Contraception counselling
	patient declined	6713.	Counselling not wanted	6713.	Counselling not wanted
		6782.	Health education - not wanted	6782.	Health education not wanted
	Medical counselling	677..	Medical counselling	677..	Medical counselling
	Provide equipment	8M42.	mobility equipment requested	Xalvb	Mobility equipment requested
		8O11.	Provision of feeding aid	XaDz4	Provision of feeding aid
		8M41.	Hearing aid requested	Xalkt	Hearing aid requested
		8O10.	Provision of communication aids	Ub0sQ	Provision of communication aid
		8O15.	Provision of locomotory aid	X74UI%	Provision of mobility device
		8O12.	Provision of special bed	XaDz5	Provision of special bed
	Follow-up	8H8..%	Follow-up arranged	8H8..%	Follow-up arranged
		8HA5.	Follow up refused	8HA5.	Follow-up refused
	Further care	8D46.	chiropody	8D46.	Chiropody
		668..%	Ophthalmological monitoring	XE1T0%	Ophthalmological monitoring
		8HH2.	Arrange home help	8HH2.	Arrange home help
		8HH3.	Arrange meals on wheels	8HH3.	Arrange meals on wheels
		8HH4.	Arrange care attender	8HH4.	Arrange care attender
	Referral to clinic	8HT2.	Refer to hearing aid clinic	8HT2.	Refer to hearing aid clinic
		8HTX.	Referral to incontinence clinic	XaJtx	Referral to incontinence clinic
	Referral for cervical screening	9O8f.	Cervical smear screening verbal invitation	XaMJU	Cervical smear screening verbal invitation
		9O8c. To 9O8g.	Cervical smear screening invitation codes	XaMJR to XaMJV	Cervical smear screening invitation codes

	Discussion with other health professionals/ carer/ next of kin	6718. 6719. 671A. 671B. 671C. 671D. 671E.	Discussed with health visitor Discussed with consultant Discussed with district nurse Discussed with doctor Discussed with next of kin Discussed with carer Discussed with patient	Xalee Xalef Xaleg Xalei XalpN XalpO XalpP	Discussed with health visitor Discussed with consultant Discussed with district nurse Discussed with doctor Discussed with next of kin Discussed with carer Discussed with patient
		67F..	Informing relative	XaA0X	Informing relative
		67M..	Informing partner	XaJ5u	Informing partner
		67IN.	Advice to carer regarding child's diet	XaJlv	Advice to carer regarding child's diet
		67IT.	Advice to carer regarding child's sleep	XaJJ0	Advice to carer regarding child's sleep
		67IP.	Advice to carer regarding child's safety	XaJlw	Advice to carer regarding child's safety
		67IV.	Advice to carer regarding child's behaviour	XaJJ1	Advice to carer regarding child's behaviour
		67IY.	Advice to carer regarding prevention of sudden infant death syndrome	XaJJ4	Advice to carer regarding prevention of sudden infant death syndrome
		67IS.	Advice to carer regarding child's travel needs	XaJlz	Advice to carer regarding child's travel needs
		67IR.	Advice to carer regarding child's immunisations	XaJly	Advice to carer regarding child's immunisations
		67IX.	Advice to carer regarding child's dental health	XaJJ3	Advice to carer regarding child's dental health
		67IW.	Advice to carer regarding child's minor illnesses	XaJJ2	Advice to carer regarding child's minor illnesses
		67IQ.	Advice to carer regarding child's toilet training	XaJlx	Advice to carer regarding child's toilet training
		67IZ.	Advice to carer regarding child's development programme	XaJJ5	Advice to carer regarding child's development programme
		8H...%	Referral for further care	XaAEk%	Referral procedure
			Please select the appropriate child concept for referral etc from the children of the code above, excluding those relating to paediatric or cancer/ terminal care. Some specific examples of commonly used services are given below.		Please select the appropriate child concept for referral etc from the children of the code above, excluding those relating to paediatric or cancer/ terminal care. Some specific examples of commonly used services are given below.
	Referral to other health professional	8H7..%	Other referral (excluding 8H7L. - refer for terminal care, 8H7d. - Refer to school nurse, 8H7g. - referral to palliative care service, 8H7j. - referral to respiratory rapid response team)	XE0iP%	Other referral
		8HHA.	Refer to community physiotherapist	Xalx1	Refer to community physiotherapist
		8HHC.	Referred for wheelchair assessment	XaJHE	Referred for wheelchair assessment
		8HHG.	Refer to multidisciplinary footcare team	XaJSt	Refer to multidisciplinary footcare team
		8HHj.	Referral to domiciliary chiropody service	XaKix	Referral to domiciliary chiropody service
		8HHw.	referral to community sexual health advisor	XaLHR	Refer to community sexual health advisor
	Referral to Consultant	8H4..%	Referral to physician (excluding 8H42. - referral to paediatrician, 8H4M. - referral to community paediatrician, 8H4P - referral to child psychiatrist, 8H4Q. - referral to paediatric endocrinologist,	8H4..%	Referral to physician (excluding XaJuP Referral to paediatric endocrinologist, XaMhd Referral to paediatric gastroenterologist, 8HVH. Private referral to paediatrician
	Referred to other service	8Hk..%	Referred to service	XaBhW%	Referred to service
		8Hl..	Referral - other care	8HH..	Referred - other care
	Practice administration	9OE..%	Chronic disease monitor admin	XaBX3%	Disease monitoring administration
		8HHy.	Referral to diabetic register	XaLMa	Referral to diabetic register
	Other actions	8HK..%	Domiciliary visit requested (excluding 8HK2 - Paediatric DV requested, 8HKM. - Paediatric surgery DV requested, 8HKP. - plastic surgery DV requested)	8HK..%	Domiciliary visit requested (excluding 8HK2 - Paediatric DV requested, 8HKM. - Paediatric surgery DV requested, 8HKP. - plastic surgery DV requested)
				XaAep%	Referral for domiciliary visit

		8HL..%	Domicillary visit recieved (excluding 8HL2 - Paediatric DV done, 8HLM. - Paediatric surgery DV done, 8HLP. - plastic surgery DV done)	8HL..%	Domicillary visit recieved (excluding 8HL2 - Paediatric DV done, 8HLM. - Paediatric surgery DV done, 8HLP. - plastic surgery DV done)
128	Has a summary letter with appropriate responses been sent to the patient or carer?	Free text	Yes or no and why not		